

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Provider Number	Nursing Home Name	Street
-----------------	-------------------	--------

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

City	State	ZIP Code	Phone Number
------	-------	----------	--------------

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents whose need for help with daily activities has increased

Footnote-1

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who self-report moderate to severe pain
--

Footnote-2

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay high-risk residents with pressure
ulcers

Footnote-3

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who lose too much weight	Footnote-4
---	------------

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay low-risk residents who lose control of their bowels or bladder

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-5

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who have had a catheter inserted and left in their bladder

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-6	Percent of long-stay residents with a urinary tract infection
------------	---

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-7

Percent of long-stay residents who have depressive symptoms

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-8	Percent of long-stay residents who were physically restrained
------------	---

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-9	Percent of long-stay residents experiencing one or more falls with major injury
------------	---

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-10

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents assessed and given, appropriately, the seasonal influenza vaccine

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-11

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents assessed and given, appropriately, the pneumococcal vaccine

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-12	Percent of short-stay residents who self-report moderate to severe pain
-------------	---

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-13

Percent of short-stay residents with Pressure ulcers that are new or worsened

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-14

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents assessed and given, appropriately, the seasonal influenza vaccine

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-15

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents assessed and given, appropriately, the pneumococcal vaccine

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-16

Percent of short-stay residents who newly received an antipsychotic medication

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-17

Percent of long-stay residents who received an antipsychotic medication

Moore

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-18